

AMENDMENTS TO THE CLAIMS

The listing of claims provided below will replace all prior versions, and listings, of claims of this application.

Listing of Claims:

1. (Canceled)
2. (Canceled)
3. (Currently amended) The A container as set forth in claim 2, said ~~container body having two holes formed therein, said~~ comprising:
a container body with a receptacle portion for receiving therein a content
and an opening at an upper edge thereof, and
a lid body engaged with said container body to close said opening, and at
least a pair of ~~wherein two holes are being~~ formed in said container body or
lid body;[,]
for each pair of holes, a connecting member extends ~~extending~~ from one
of said two holes to the other of said two holes across said receptacle
portion;[,] and
two toy members are being ~~are~~ secured on respective ends of said connecting
member extending from respective ~~of~~ two holes.
4. (Currently amended) The container as set forth in claim 2 3, wherein
said ~~hole is~~ holes are provided at a position above said receptacle portion
~~and above said content received in said receptacle portion.~~
5. (Canceled)

6. (Canceled)

7. (Currently amended) ~~The container as set forth in claim 6, wherein said outer surface is drawn pictures,~~ A container comprising:
a container body with a receptacle portion for receiving therein a content
and an opening at an upper edge thereof;
a lid body engaged with said container body to close said opening;
a sliding member; and
a pair of parallel rail portions provided on an outer surface of said
container body or lid body, said sliding member being slidably mounted
between said rail portions,
wherein pictures are provided on said outer surface and said sliding member is movable in front of said pictures.

8. (Canceled)

9. (Canceled)

10. (Currently Amended) ~~The container as set forth in claim 8, wherein~~ A
container comprising:
a container body with a receptacle portion for receiving therein a content
and an opening at an upper edge thereof;
a lid body engaged with said container body to close said opening; and
a handle member whose both ends are pivotably connected to said
container body,
wherein a dispensing opening for removing said content is formed in an upper surface of said lid body, a small lid flap is provided on the upper surface of said lid body for opening and closing said dispensing opening, and

said handle member is positioned so as not to ~~net~~ interfere with said small lid flap in open position, when said handle member is pivoted to a position above said lid body.

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Canceled)

17. (Canceled)

18. (Canceled)

19. (Canceled)

20. (Canceled)